

# 2020 Air Quality Annual Status Report (ASR)

In fulfilment of Part IV of the Environment Act 1995 Local Air Quality Management

Local Authority Officer	Zoe Craig
Department	Neighbourhoods and Regulatory Services
Address	Hartlepool Borough Council Civic Centre Victoria Road Hartlepool TS24 8AY
Telephone	01429 523325
E-mail	zoe.craig@hartlepool.gov.uk
Report Reference number	HASR20
Date	17 <sup>th</sup> November 2021

## **Executive Summary: Air Quality in Our Area**

### Air Quality in Hartlepool Borough Council

Air pollution is associated with a number of adverse health impacts. It is recognised as a contributing factor in the onset of heart disease and cancer. Additionally, air pollution particularly affects the most vulnerable in society: children and older people, and those with heart and lung conditions. There is also often a strong correlation with equalities issues, because areas with poor air quality are also often the less affluent areas<sup>1,2</sup>.

The annual health cost to society of the impacts of particulate matter alone in the UK is estimated to be around £16 billion<sup>3</sup>.

Hartlepool has formally reviewed and assessed air quality since year 2000, and has produced statutory annual reports to the UK Government. It has done this in cooperation with neighbouring Tees Valley Councils to give as broad a picture of air quality as possible, continuing a long history of joint co-operation between councils which recognised that air pollution transcended local authority boundaries.

Consistently, the annual report has concluded that Hartlepool air quality in areas where the public may be exposed is generally good when compared with Government objectives, and there has been no need to declare any Air Quality Management Areas in which adverse health effects may exist. There is no complacency in this; Hartlepool Council is committed to improving air quality as policy, but the economic options are limited against this background.

Hartlepool, along with neighbouring Tees Valley Councils, has had a strong industrial heritage. In terms of air pollution, this industrial heritage has not always been beneficial, and has often made a significant contribution to poor air quality both in actuality and in public perception. Indeed, early air quality monitoring within Hartlepool and neighbouring councils specifically targeted industrial sources of pollution. By the turn of the century, however, industrial air pollution at ground level had significantly reduced with the closure of old plants and better regulation, a process which for other less welcome reasons, is accelerating today. In this century it has been clear that it is pollution from road traffic, with its primary emissions at ground level, which is now of

1

<sup>&</sup>lt;sup>1</sup> Environmental equity, air quality, socioeconomic status and respiratory health, 2010

<sup>&</sup>lt;sup>2</sup> Air quality and social deprivation in the UK: an environmental inequalities analysis, 2006

<sup>&</sup>lt;sup>3</sup> Defra. Abatement cost guidance for valuing changes in air quality, May 2013

greatest concern to public health, and air quality monitoring within Hartlepool, neighbouring councils, and indeed within Government guidance, has changed to reflect this. Hartlepool also has an extensive coastline and at times of strong north-easterly weather, there can be high levels of natural particulates which may have health effects for some members of the public.

## **Actions to Improve Air Quality**

Road traffic across the UK has increased dramatically this century, most noticeably in respect of car ownership. While this is also true within Hartlepool and neighbouring councils, there has been beneficial legacy from the industrial heritage in that the road network has, over a long period, been dramatically improved. Within Hartlepool through traffic is generally light and is channelled onto the main A689 / A179 through route leading to the main A19 trunk road north – south which passes well to the west of the town, through rural areas. For Hartlepool, the main impact on public health is along commuter roads, and it is in this area that most action needs to be targeted to alleviate air pollution. Fortunately, most housing along these roads is low rise, and set back from kerbside so that there is good dispersion of air pollutants compared with older UK cities and towns. On the downside, it is recognised that public transport limitations have contributed to a higher level of commuter traffic for work purposes than in other large conurbations.

National action in terms of reducing emissions from vehicles is a crucial factor in reducing air pollution alongside roads. While significant strides have been made in vehicle engine technology, and on reducing harmful emissions from large diesels engines in buses and hgvs, Government policy has tended to concentrate in recent years on reducing carbon emissions, and this has filtered down into local authority policies. There has been a major shift away from petrol engines in small vehicles to diesel, which, while contributing to lower carbon emissions per mile, has inadvertently escalated those pollutants judged to be most harmful to public health, fine particulates and nitrogen dioxide, which cannot easily be reduced as with larger diesel vehicles. This has been compounded by inadequate emission testing regulations, so that actual emissions from small diesel engines in practice can be significantly higher than test. This has meant that the expected benefit of cleaner vehicle technology has not translated into significantly lower air pollution levels, and this has been confirmed by local monitoring. It will now take time for alternative low carbon / low emission

technologies such as electric / hydrogen / hybrid vehicles to become economically viable alternatives. Much of the necessary infrastructure at a nationwide scale to facilitate these emerging technologies is currently unavailable.

Local actions to reduce the impact of vehicle emissions within Hartlepool are principally taken in conjunction with neighbouring councils through Tees Valley Unlimited concentrate in the following areas, with further detail in the Local Transport Plan:

- Reduce traffic congestion at peak times through improved network management and road improvements.
- Encouraging local bus companies to review services with particular emphasis on access to new and emerging employment opportunities, and to renew their fleet on an on-going basis.
- Encourage wider transport choices by improving pedestrian, cycling and public transport, including rail.
- Encourage the provision of a low emission vehicle infrastructure through the planning regime.

Over time, these improvements will all contribute to further reduction in air pollution within Hartlepool.

#### **Conclusions and Priorities**

Although not currently a statutory requirement of the National Air Quality strategy, Local Air Quality Management Policy Guidance expects local authorities to work towards reducing emissions and / or concentrations of particulate PM2.5. The Public Health Outcomes Framework includes particulate PM2.5 as an air pollution indicator under domain 3.01.

Monitoring of particulate PM2.5 is carried out within neighbouring Middlesbrough and Stockton-On-Tees councils through the national network and it is also possible to determine likely levels in all Tees Valley Council areas, including Hartlepool. Government objectives are easily met where relevant public exposure exists and this is expected to continue. Even so, Hartlepool council will continue to co-operate with the four other Tees Valley councils in trying to identify in more detail sources of fine

particles, and see if any local action can cost effectively reduce emissions / concentrations.

### Local Engagement and How to get involved

- Individuals can help to reduce air pollution by breaking the 'Car Addiction'!
- Try to avoid using the car for short journeys, or reduce the number of short journeys by better planning.
- Join a car club, or cycle, or walk.
- Use public transport when available.
- Ensure that the vehicle is well maintained; keep tyre pressures properly inflated to manufacturers' recommendation.
- Drive more consistently and avoid excessive speed, excessive braking, and prolonged idling.
- On a wider front, join a car club / car sharing scheme.
- Use park and ride facilities where available.
- If changing a car, pay greater attention to engine emission levels, downsize if practicable.

The annual health cost to society of the impacts of particulate matter alone in the UK is estimated to be around £16 billion.

## **Table of Contents**

E	xecutiv	e Summary: Air Quality in Our Area	i
	Air Qua	ality in Hartlepool	i
	Actions	s to Improve Air Quality	i
	Conclu	sions and Priorities	ii
	Local E	Engagement and How to get Involved	iii
1	Loc	al Air Quality Management	1
2	Act	ions to Improve Air Quality	2
		Air Quality Management Areas	
	2.2	Progress and Impact of Measures to address Air Quality in Hartlepool	3
	2.3	PM <sub>2.5</sub> – Local Authority Approach to Reducing Emissions and/or	
		ntrations	4
3	Air	Quality Monitoring Data and Comparison with Air Quality	
O	bjectiv	es and National Compliance	7
	_	Summary of Monitoring Undertaken	
	3.1.1		
	3.1.2	Non-Automatic Monitoring Sites	7
	3.2	Individual Pollutants	7
	3.2.1	Nitrogen Dioxide (NO <sub>2</sub> )	8
	3.2.2	Particulate Matter (PM <sub>10</sub> )	8
	3.2.3		
	3.2.4		
Α	ppendi	x A: Monitoring Results	9
A	ppendi	x B: Full Monthly Diffusion Tube Results for 2019	19
Α	ppendi	x C: Supporting Technical Information / Air Quality Monitoring	
D	ata QA	/QC	20
Α	ppendi	x D: Map(s) of Monitoring Locations and AQMAs	22
Α	ppendi	x E: Summary of Air Quality Objectives in England	23
		/ of Terms	
_		,	

#### **List of Tables**

	ment Areas Error! Bookmark not defined. brove Air QualityError! Bookmark not
Table A.1 - Details of Automatic Monitoria	ng Sites9
	nitoring Sites10
	g Results11
	g Results13
	ig Results14
	ing Results16
Table A.7 – PM <sub>2.5</sub> Monitoring Results  Table A.8 – SO <sub>2</sub> Monitoring Results	
Table B.1 - NO <sub>2</sub> Monthly Diffusion Tube I	Results - 201919
Table E.1 – Air Quality Objectives in Eng	land23
List of Figures	
	2 Concentrations12 ·Hour Means > 200μg/m³ <b>Error! Bookmark</b>
Figure A.3 – Trends in Annual Mean PM	10 Concentrations15
	ur Mean PM₁₀ Results >50µg/m³17
•	2.5 ConcentrationsError! Bookmark not
defined.	
Figure A.6 – Trends in SO <sub>2</sub> Concentration	ns Error! Bookmark not defined.

## 1 Local Air Quality Management

This report provides an overview of air quality in Hartlepool during 2019. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995) and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives. This Annual Status Report (ASR) is an annual requirement showing the strategies employed by Hartlepool Borough Council to improve air quality and any progress that has been made.

The statutory air quality objectives applicable to LAQM in England can be found in Table E.1 in Appendix E.

## 2 Actions to Improve Air Quality

### 2.1 Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when there is an exceedance or likely exceedance of an air quality objective. After declaration, the authority must prepare an Air Quality Action Plan (AQAP) within 12-18 months setting out measures it intends to put in place in pursuit of compliance with the objectives.

Hartlepool Borough Council currently does not have any AQMAs and can see no requirement for one. Air quality has been shown, since LAQM started in year 2000, to be consistently and generally good and this has been accepted by Defra.

For reference, a map of Hartlepool Borough Council's monitoring locations is available in Appendix D.

## 2.2 Progress and Impact of Measures to address Air Quality in Hartlepool

Hartlepool Borough Council has had no requirement to declare an Air Quality Management Area, and cannot economically justify a formal action plan to address air quality issues. However, the Council is committed to improving air quality in general, and does that through joint co-operation with the four neighbouring Tees Valley Councils through Tees Valley Combined Authority (April 2016, and which includes Tees Valley Unlimited), and at the environmental health level through the Tees Valley Environmental Protection Group, which also includes the Environment Agency. The Council also encourages stand alone measures that may have beneficial impact on air quality.

Measures generally impact on vehicle emission reductions and changing transport attitudes through encouraging cycling and walking, and improving public transport.

#### Examples are:

- Working with bus companies to improve the vehicle fleet and routes
- Encourage cycling schemes and provide purpose built cycle ways
- Working with taxi firms to have lower emission vehicles and good maintenance
- Prioritise lower emission vehicles within the Council fleet
- Install renewable energy technologies across the Council building inventory
- Address climate change issues and implement a carbon management plan

Most of these schemes have been implemented in part, and the work will continue. The schemes do not address specific air quality issues, but all will have a bearing on improving air quality.

## 2.3 PM<sub>2.5</sub> – Local Authority Approach to Reducing Emissions and/or Concentrations

As detailed in Policy Guidance LAQM.PG16 (Chapter 7), local authorities are expected to work towards reducing emissions and/or concentrations of PM<sub>2.5</sub> (particulate matter with an aerodynamic diameter of 2.5µm or less). There is clear evidence that PM<sub>2.5</sub> has a significant impact on human health, including premature mortality, allergic reactions, and cardiovascular diseases.

#### Overview

Particulates PM2.5 are very fine particulates which are now considered to be a more significant health risk than the larger particulates PM10, as they penetrate further into the respiratory system and are less easily dislodged. Recognising this, the UK Public Health Outcomes Framework (Healthy Lives: Healthy People) includes an indicator relating to fine particulate matter (PM2.5). This indicator is 3.01 in Health Protection Domain 3 – 'Fraction of mortality attributed to particulate air pollution' – with the latest factors across the Tees Valley as follows:

En	gland	nd North East Darlington		Hartlepool	Middlesbro ugh	Redcar & Cleveland	Stockton- on-Tees
Fraction	5.1	3.6	3.7	3.9	4.4	4.1	4.0

These are estimates of the percentage of mortality attributable to long term exposure to particulate air pollution. The general range for the UK is between 2.5 and 4.0 for rural areas, up to 8 and higher in certain city areas.


Particulate PM2.5 is not yet incorporated into LAQM regulation within England. As such there is no statutory requirement on local authorities to review and assess PM2.5 for LAQM purposes, and while PM2.5 monitoring across the UK is desirable given the links to the Public Health Outcomes Framework, it is recognised that monitoring costs can be prohibitive on local authorities. The latest 2016 Technical Guidance suggests local authorities use results from the national network of PM2.5 monitors to assess levels, and also provides a nationally derived factor of 0.7 that can be used to estimate

PM2.5 levels from any particulate PM10 monitors that local authorities may have installed.

Within the Tees Valley, there are three PM2.5 monitors as part of the national network, Middlesbrough Breckon Hill (urban industrial); Stockton Eaglescliffe (roadside); and, starting February 2016, Stockton A1035 Nelson Terrace (roadside), all giving direct PM2.5 annual means. The Breckon Hill and Eaglescliffe stations have PM10 monitors alongside so that a locally derived factor of PM2.5 to PM10 can be calculated and compared with the national factor and used at local PM10 monitors with a similar location.

#### Hartlepool PM<sub>2.5</sub>

Hartlepool Borough Council is one of five unitary Councils forming the general area known as the Tees Valley. As shown below, it is the most northerly of these Councils, and is fourth largest in area, with a long coastline to the East.



Hartlepool Borough has a densely populated area to the East, but is otherwise largely rural. It has a covered shopping centre in the centre of town, but most new commercial development is around the marina area, nearer the coast. There is no significant rail traffic, and the port area is small compared with the Tees to the South. There are a few large industrial processes within the Council area, but many more are located in other

Tees Valley Councils to the South. They do not significantly impact on Hartlepool air quality.

The main A19 trunk road runs North / South through the Borough, but is mainly in rural areas. Within the urban area, A689 / A179 dual carriageway runs North / South nearer to the coast, past the town centre and marina development. The road is in its own transport corridor, away from areas of relevant public exposure.

The majority of the Hartlepool area is subject to Smoke Control Orders, and natural gas is the main source of heating in all but a few rural villages. This means that air pollution from domestic and commercial sources are low. Industrial emissions are also low, leaving road transport as the most significant air pollution source.

Fine particulate pollution from road transport is likely to be the principle source, but even this is limited. Road traffic is generally light as the significant through routes are in their own transport corridors. This general view of sources is reflected in the national 1 sq km sector model maps for the borough based on 2011 emission source estimates (see reference 4). Typical background levels are shown as  $8.5-10.5~\mu g/m3/sqkm$ , with over 80% identified as natural or secondary sources. The average PM2.5 loading per sqkm in 2011 is shown as  $9.5~\mu g/m3$ , reducing to  $8.3~\mu g/m3$  in 2020 as a result of planned Government / EU measures.

Therefore, at this stage of understanding of local fine particulate emissions, it is difficult to see what positive action can be economically taken by Hartlepool Borough Council to reduce PM2.5 levels over the coming years, other than those actions already identified in section 2.2 of this report. A more significant impact is likely to be made by changes in Government policy with regard to diesel engines in cars and small vans. Since 1995, the proportion of diesel engine cars has risen from below 10% to over 40% today due to concentration on reducing carbon emissions. Diesel engines emit more fine particulates than petrol engines, and it is difficult to fit effective abatement measures. Of as much concern are the higher levels of nitrogen oxides emitted by diesel engines, which are a key factor in secondary fine particulate formation.

## **Air Quality Monitoring Data and Comparison** with Air Quality Objectives and National Compliance

### **Summary of Monitoring Undertaken**

#### 3.1.1 Automatic Monitoring Sites

This section sets out what monitoring has taken place and how it compares with objectives.

Hartlepool Borough Council undertook automatic (continuous) monitoring at 2 sites during 2018 and in October 2017 DEFRA installed a continuous urban background NO2 monitor as part of the AURN network in the borough. Table A.1 in Appendix A shows the details of the sites. NB. Local authorities do not have to report annually on the following pollutants: 1,3 butadiene, benzene, carbon monoxide and lead, unless local circumstances indicate there is a problem.

Maps showing the location of the monitoring sites are provided in Appendix D. Further details on how the monitors are calibrated and how the data has been adjusted are included in Appendix C.

#### 3.1.2 Non-Automatic Monitoring Sites

Hartlepool Borough Council undertook non- automatic (passive) monitoring of NO2 at 3 sites during 2018. Table A.2 in Appendix A shows the details of the sites.

Maps showing the location of the monitoring sites are provided in Appendix D.

Further details on Quality Assurance/Quality Control (QA/QC) for the diffusion tubes, including bias adjustments and any other adjustments applied (e.g. "annualisation" and/or distance correction), are included in Appendix C.

#### **Individual Pollutants**

The air quality monitoring results presented in this section are, where relevant, adjusted for bias<sup>4</sup>, "annualisation" (where the data capture falls below 75%), and distance correction<sup>5</sup>. Further details on adjustments are provided in Appendix C.

https://laqm.defra.gov.uk/bias-adjustment-factors/bias-adjustment.html
 Fall-off with distance correction criteria is provided in paragraph 7.77, LAQM.TG(16)

#### 3.2.1 Nitrogen Dioxide (NO<sub>2</sub>)

Table A.3 in Appendix A compares the ratified and adjusted monitored NO2 annual mean concentrations for the past 5 years with the air quality objective of 40µg/m3.

For diffusion tubes, the full 2019 dataset of monthly mean values is provided in Appendix B.

Table A.4 in Appendix A compares the ratified continuous monitored NO2 hourly mean concentrations for the past 5 years with the air quality objective of 200µg/m3, not to be exceeded more than 18 times per year.

There have been no exceedances of the annual mean or 1 hour mean objectives at any monitoring location.

Nitrogen dioxide trend graphs at the Hartlepool Stockton Road continuous monitoring station are shown below.

#### 3.2.2 Particulate Matter (PM<sub>10</sub>)

Table A5 in Appendix A compares the ratified and adjusted monitored PM10 annual mean concentrations for the past 5 years with the air quality objective of 40µg/m3.

Table A. in Appendix A compares the ratified continuous monitored PM10 daily mean concentrations for the past 5 years with the air quality objective of 50µg/m3, not to be exceeded more than 35 times per year.

There have been no exceedances of the annual mean or daily mean objective. Particulate PM10 trend graphs at the Hartlepool Stockton Road continuous monitoring station are shown below.

#### 3.2.3 Particulate Matter (PM<sub>2.5</sub>)

**Error! Reference source not found.** in Appendix A presents the ratified and adjusted onitored PM<sub>2.5</sub> annual mean concentrations for the past 5 years using the nationally derived factor of 0.7 applied to the particulate PM<sub>10</sub> results at the Stockton Road site.

## **Appendix A: Monitoring Results**

**Table A.1 - Details of Automatic Monitoring Sites** 

Site ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA?	Monitoring Technique	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m)	Inlet Height (m)
Stockton Road	Stockton Road (local)	Roadside	450300	529700	NO2; PM10	NO	Chemiluminescent; Beta Attenuated	10	12	2
Headland	Headland (local) Other		452400	533600	PM10	NO	Beta Attenuated	10	5	2
Arch Court	Arch Court Urban (AURN) Background		452429	532312	NO2	NO	Chemiluminescent			2

#### Notes:

(1) 0m if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

(2) N/A if not applicable

**Table A.2 – Details of Non-Automatic Monitoring Sites** 

Site ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA?	Distance to Relevant Exposure (m) <sup>(1)</sup>	Distance to kerb of nearest road (m) <sup>(2)</sup>	Tube collocated with a Continuous Analyser?	Height (m)
S1	Powlett Road	Roadside	450400	533900	NO <sub>2</sub>	NO	0	5	NO	2.5
S2	King Oswy Drive	Roadside	449600	535950	NO <sub>2</sub>	NO	0	5	NO	2.5
S3	Fens Crescent	Roadside	449600	592100	NO <sub>2</sub>	NO	0	5	NO	2.5

#### Notes:

(1) 0m if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

(2) N/A if not applicable.

Table A.3 – Annual Mean NO<sub>2</sub> Monitoring Results

	X OS Grid	Y OS Grid		Monitoring	Valid Data Capture for	Valid Data	NO₂ Annual Mean Concentration (µg/m³) (3) (4)						
Site ID	Ref (Easting)	Ref (Northing)	Site Type	Туре	Monitoring Period (%)	Capture 2019 (%)	2015	2016	2017	2018	2019		
Stockton Road	450300	529700	Roadside	Automatic		98	<u>15.5</u>	16.9	18.5	17.9	13.9		
S1	450400	533900	Roadside	Diffusion Tube	100	100	<u>13.9</u>	14.6	9.5	7.5	13.4		
S2	449600	535950	Roadside	Diffusion Tube	100	84	<u>15.5</u>	16.2	11.2	6.9	13.1		
S3	449600	592100	Roadside	Diffusion Tube	100	100	<u>14.7</u>	13	9	7.8	14.2		
Arch Court	452429	532312	Urban Background	Automatic		98	-			13	12.3		

- ☑ Diffusion tube data has been bias corrected
- ☑ Annualisation has been conducted where data capture is <75%
  </p>
- ☑ Reported concentrations are those at the location of the monitoring site (bias adjusted and annualised, as required), i.e. prior to any fall-off with distance adjustment

#### Notes:


Exceedances of the NO<sub>2</sub> annual mean objective of 40µg/m³ are shown in **bold**.

NO<sub>2</sub> annual means exceeding 60µg/m³, indicating a potential exceedance of the NO<sub>2</sub> 1-hour mean objective are shown in **bold and underlined**.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) Means for diffusion tubes have been corrected for bias. All means have been "annualised" as per Boxes 7.9 and 7.10 in LAQM.TG16 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.
- (4) Concentrations are those at the location of monitoring and not those following any fall-off with distance adjustment.

Figure A.1 – Trends in Annual Mean NO<sub>2</sub> Concentrations

#### HARTLEPOOL (Stockton Road) Local Station (urban roadside site)






Table A.4 – 1-Hour Mean NO<sub>2</sub> Monitoring Results

Site ID	X OS Grid Ref	Y OS Grid Ref	Site Type	Monitoring	Valid Data Capture for	Valid Data Capture		NO <sub>2</sub> 1-Hou	r Means > 2	200µg/m³ (3)	
	(Easting)	(Northing)		Туре	Monitoring Period (%) <sup>(1)</sup>	2019 (%)	2015	2016	2017	2018	2019
Stockton Road	450300	529700	Roadside	automatic	100	98	0	0	0	0	0
Arch Court	16717U   637317		Urban Background	automatic	100	98	0	0	0	0	0

#### Notes:

Exceedances of the NO<sub>2</sub> 1-hour mean objective (200µg/m³ not to be exceeded more than 18 times/year) are shown in **bold**.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) If the period of valid data is less than 85%, the 99.8th percentile of 1-hour means is provided in brackets.

**Table A.5 – Annual Mean PM<sub>10</sub> Monitoring Results** 

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%)	Valid Data Capture 2019 (%) <sup>(2)</sup>	PM <sub>10</sub> Annual Mean Concentration (μg/m³) <sup>(3)</sup>						
	`	`				2015	2016	2017	2018	2019		
Stockton Road	450300	529700	Roadside	100	78	26.3	24	22.5	26.6	25.3		
Headland	452400	533600	Other	100	78	27.2	27.4	26.8	27.3	29.7		


#### ☑ Annualisation has been conducted where data capture is <75% </p>


#### Notes:

Exceedances of the  $PM_{10}$  annual mean objective of  $40\mu g/m^3$  are shown in **bold.** 

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) All means have been "annualised" as per Boxes 7.9 and 7.10 in LAQM.TG16, valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Figure A.2 – Trends in Annual Mean PM<sub>10</sub> Concentrations





LAQM Annual Status Report 2020

Table A.6 – 24-Hour Mean PM<sub>10</sub> Monitoring Results


Site ID	X OS Grid Ref	Y OS Grid Ref	Site Type	Valid Data Capture for	Valid Data Capture 2019	PM <sub>10</sub> 24-Hour Means > 50μg/m <sup>3 (3)</sup>							
Site ID	(Easting)	(Northing)	oite Type	Monitoring Period (%) <sup>(1)</sup>	(%) <sup>(2)</sup>	2015	2016	2017	2018	2019			
Stockton Road	450300	529700	Roadside	100	78	13 (38)	5(34)	3(34)	9(38)	5(38)			
Headland	452400	533600	Other	100	78	12(39)	10	6	12	13(46)			


#### Notes:

Exceedances of the PM<sub>10</sub> 24-hour mean objective (50µg/m³ not to be exceeded more than 35 times/year) are shown in **bold**.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) If the period of valid data is less than 85%, the 90.4th percentile of 24-hour means is provided in brackets.

Figure A.3 – Trends in Number of 24-Hour Mean PM<sub>10</sub> Results >50μg/m<sup>3</sup>





LAQM Annual Status Report 2020

**Table A.7 – PM<sub>2.5</sub> Monitoring Results** 

Site ID	X OS Grid Ref	Y OS Grid Ref	Site Type	Valid Data Capture for	Valid Data Capture 2019	PM <sub>2.5</sub> Annual Mean Concentration (μg/m³) <sup>(3)</sup>						
	(Easting)	(Northing)		Monitoring Period (%) <sup>(1)</sup>	(%) <sup>(2)</sup>	2015	2016	2017	2018	2019		
Stockton Road	450300	529700	Roadside	100	78	18.4	16.8	15.7	18.6	18.9		
Headland	452400	533600	Other	100	78	19	19.2	18.7	19.1	22.2		

#### ☑ Annualisation has been conducted where data capture is <75% </p>

#### Notes:

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) All means have been "annualised" as per Boxes 7.9 and 7.10 in LAQM.TG16, valid data capture for the full calendar year is less than 75%. See Appendix C for details.

## **Appendix B: Full Monthly Diffusion Tube Results for 2019**

Table B.1 - NO<sub>2</sub> Monthly Diffusion Tube Results - 2019

									NO <sub>2</sub> M	ean Co	ncenti	rations	(µg/m³	<sup>3</sup> )			
		Y OS Grid Ref (Northing)														Annual Me	an
Site ID	X OS Grid Ref (Easting)		Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Raw Data	Bias Adjusted (0.75) and Annualised	Distance Corrected to Nearest Exposure
S1	450400	533900	29.0	21.6	13.8	18.1	14.0	11.6	15.6	12.6	12.6	19.3	25.3	21.7	17.9	13.4	13.4
S2	449600	535950	29.7	26.0	16.1	13.8	16.5	11.4	11.9	12.6	15.2			19.6	17.5	13.1	13.1
S3	449600	592100	24.6	24.8	11.8	17.8	13.8	11.9	14	14.5	17.6	23.5	27.2	26.2	19.0	14.2	14.2

- $\ oxdot$  National bias adjustment factor used
- ☑ Annualisation has been conducted where data capture is <75%
  </p>
- ☑ Where applicable, data has been distance corrected for relevant exposure in the final column

#### Notes:

Exceedances of the NO<sub>2</sub> annual mean objective of 40µg/m³ are shown in **bold**.

 $NO_2$  annual means exceeding  $60\mu g/m^3$ , indicating a potential exceedance of the  $NO_2$  1-hour mean objective are shown in **bold and underlined.** 

- (1) See Appendix C for details on bias adjustment and annualisation.
- (2) Distance corrected to nearest relevant public exposure.

## Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC

#### Air Quality Monitoring Data QA/QC

#### **Diffusion Tube Bias Adjustment Factors**

The diffusion tubes are supplied and analysed by Environmental Scientifics Group (ESG) Didcot. Tubes are all 50% TEA in acetone. The bias factor used the ESG Didcot bias factor from the national database of March 2019 was 0.75 covering 27 studies.

#### **PM Monitoring Adjustment**

The Stockton Road and Headland PM10 monitors are BAM units adjusted to full gravimetric equivalence by dividing the raw data by 1.21.

#### QA/QC of automatic monitoring

The two Hartlepool fixed continuous Local monitoring stations (one NOx and PM10, the other PM10), are modern installations, and have been operated under a comprehensive service contract. Operators of the site have received supplier training. The Council is committed to achieving accuracy, precision, data capture, traceability and long term consistency to ensure that data is representative of ambient air quality. In common with other Tees Valley Councils, Hartlepool has a documented quality assurance and control programme, which includes an established schedule of regular site calibrations, validation of data, and documentation of all procedures.

Details are summarised as follows:

Calibration gas obtained from approved gas standard suppliers. Equipment comprehensive service agreement with the supplier.

Data capture site operators are experienced and trained personnel, monitoring data capture on a daily basis where possible to ensure that faults are detected and corrected quickly.

Ratification data is screened, where possible on a daily basis, to check for unusual measurements. Suspicious data is investigated fully, and if found to be faulty, is deleted from the records. Particular attention is paid to possible environmental changes in the vicinity of the analyser.

Data is recorded monthly and compared with earlier results.

#### QA/QC of diffusion tube monitoring

The Hartlepool nitrogen dioxide diffusion tube programme is operated through an approved laboratory ((ESG) Didcot) with formal accreditation to BS standards, and one that participates in the AIR-PT programme. Particular attention is paid to proper installation of the tubes at the site, and reliable exposure duration.

Tube precision for this laboratory is consistently shown as good for 2019 for tube preparation 50% TEA in acetone. ESG Didcot also demonstrated 100% satisfactory performance in the AIR-PT scheme for 2015.

## **Appendix D: Map(s) of Monitoring Locations and AQMAs**



- Historic Diffusion Tubes: (S1) Victoria Road, (S2) Catcote, (S3) Granville, (S4) Torquay, (S5) Stockton Road, (S6) Stockton Road/Owton Manor.
- Diffusion Tubes: (S1) 78 Powlett Road, (S2) 185 Catcote Road, (S3) 94 Fens Crescent, (S4) 219 King Oswy Drive.
- Continuous Monitoring Stations: (1) Town Wall, (2) Stockton Road/Barra Grove, (3) Arch Court

## **Appendix E: Summary of Air Quality Objectives in England**

Table E.1 – Air Quality Objectives in England

Pollutant	Air Quality Objective <sup>6</sup>	
	Concentration	Measured as
Nitrogen Dioxide (NO <sub>2</sub> )	200 µg/m³ not to be exceeded more than 18 times a year	1-hour mean
	40 μg/m <sup>3</sup>	Annual mean
Particulate Matter (PM <sub>10</sub> )	50 μg/m³, not to be exceeded more than 35 times a year	24-hour mean
	40 μg/m <sup>3</sup>	Annual mean
Sulphur Dioxide (SO <sub>2</sub> )	350 µg/m³, not to be exceeded more than 24 times a year	1-hour mean
	125 µg/m³, not to be exceeded more than 3 times a year	24-hour mean
	266 µg/m³, not to be exceeded more than 35 times a year	15-minute mean

 $<sup>^6</sup>$  The units are in microgrammes of pollutant per cubic metre of air ( $\mu g/m^3$ ).

## **Glossary of Terms**

Abbreviation	Description	
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the local authority intends to achieve air quality limit values'	
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives	
ASR	Air quality Annual Status Report	
Defra	Department for Environment, Food and Rural Affairs	
DMRB	Design Manual for Roads and Bridges – Air quality screening tool produced by Highways England	
EU	European Union	
FDMS	Filter Dynamics Measurement System	
LAQM	Local Air Quality Management	
NO <sub>2</sub>	Nitrogen Dioxide	
NO <sub>x</sub>	Nitrogen Oxides	
PM <sub>10</sub>	Airborne particulate matter with an aerodynamic diameter of 10μm (micrometres or microns) or less	
PM <sub>2.5</sub>	Airborne particulate matter with an aerodynamic diameter of 2.5µm or less	
QA/QC	Quality Assurance and Quality Control	
SO <sub>2</sub>	Sulphur Dioxide	

## References

- LAQM Technical Guidance 2016
   Published by the Department of Environment, Food and Rural Affairs, April 2016
- 2. LAQM Policy Guidance
  Published by the Department of Environment, Food and Rural Affairs, April 2016
- 3. 2011 Particulate PM2.5 Background Data for Hartlepool Published by the Department of Environment, Food and Rural Affairs, Data Archive