PLANNING GUIDANCE - FLOOD RISK ASSESSMENT

Certain areas of Hartlepool have the potential to be at risk from flooding and this must be taken info account by the Local Planning Authority. The Environment Agency have created an interactive flood map (http://www.environment-agency.gov.uk/subjects/flood/826674/829803/858477/?version=1&lang=_e) to inform both the general public and Local Planning Authorities. By inputting the site's postcode the map indicates which areas lie within designated flood zones.



http://www.environment-agency.gov.uk/subjects/flood/826674/829803/858477/?version=1&lang=_e

Once the status of the land in relation to flood risk has been established, the flood risk matrix (<u>http://www.pipernetworking.com/floodrisk/matrix.html</u>) can be used to ascertain whether or not a Flood Risk Assessment (FRA) is required to support a planning application. The site gives a link to the Environment Agency site, which sets out the requirements for the content of an FRA.

A1 Development category	B1 Within 20 metres of the top of bank of a Main River	C1 Includes culverting or control of flow of any river or stream	D1 Within Flood Zone 3	E1 Within Flood Zone 2	F1 Within Flood Zone 1
A2 Householder development and alterations	R2 Consult EA with FRA	c2 Consult EA with FRA	D2 No consultation - see standard comment Note	E2 No consultation - see standard comment Note	F2 No consultation - No EA Advice
A3 Non-residential extensions less than 250m ²	83 Consult EA with FRA	cs Consult EA with FRA	03 No consultation - see standard comment Note	E3 No consultation - see standard comment Note	F3 No consultation - No EA Advice
A4 Change of use FROM Water Compatible TO 'Less Vulnerable' development	B4 Only consult EA if site also fails within Flood Zone 3, FRA Required	c4 No consultation - no EA advice	D4 Consult EA with FRA	E4 No consultation - no EA advice	F4 No consultation - No EA Advice
A5 Change of use RESULTING IN 'Highly Vulnerable' or 'More Vulnerable' development	es Only consult EA if site also fails within Flood Zone 3 or 2, FRA Required	cs No consultation - no EA advice	ps Consult EA with FRA	E5 Consult EA with FRA	F5 No consultation - No EA Advice
A6 Operational development less than 1 hectare	es Consult EA with FRA (and also if in Flood Zone 3 Sequential Test Evidence)	ce Consult EA with FRA	oc Consuit EA with FRA and Sequential Test Evidence (and where required confirm Exception Test has been applied)	E6 Consult EA with FRA and Sequential Test Evidence (and where required continn Exception Test has been applied)	F6 No consultation - see standard comment
A7 Operational development of 1 hectare or greater	67 Consult EA with FRA (and also if in Flood Zone 3 Sequential Test Evidence)	c7 Consult EA with FRA	07 Consult EA with FRA and Sequential Test Evidence (and where required confirm Exception Test has been applied)	E7 Consult EA with FRA and Sequential Test Evidence (and where required continn Exception Test has been applied)	97 Consult EA with FRA

http://www.pipernetworking.com/floodrisk/matrix.html)

Should an FRA be required and it is not submitted with a planning application then the application will fail to become valid.

ONE STOP SHOP (OSS) ADVISORY SERVICE

The Council's One Stop Shop advisory service offers free planning advice on new development proposals. Advice is given on a variety of issues and any relevant concerns with respect to Flood Risk will normally be highlighted as part of this service. To find out more about the One Stop Shop <u>click here</u>

Further information can be obtained from: -

PLANNING Development Control Section Hartlepool Borough Council Hanson House Lynn Street Hartlepool TS24 7BT Tel: - (01429)284317